

DOCKET NO.: P-8794.05PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICERESPONSE with TERMINAL DISCLAIMER and PETITION FOR EXTENSION OF TIME TRANSMITTAL

Applicants: Zilla, et al.
 Serial Number: 10/627,114
 Filed: July 25, 2003
 Docket: P-8794.05
 Title:

Examiner: Amareld, Jr., Robert W.
 Group Art Unit: 3738
 Confirmation Number: 3869

Title: Transmural Concentric Multilayer Ingrowth Matrix Within Well-Defined Porosity

RECEIVED
 CENTRAL FAX CENTER
 AUG 07 2006

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.6(d): I hereby certify that this Response with Terminal Disclaimer Transmittal are being transmitted by facsimile to 571-273-8300 in accordance with 37 C.F.R. §1.6(d) to the U.S. Patent Trademark Office at Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 7TH day of AUGUST, 2006.

Juanita I. Trauffer
 Juanita I. Trauffer

Mail Stop Amendment
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

- ☒ Response with Terminal Disclaimer and Petition for Extension of Time Transmittal
☒ Response
☒ Terminal Disclaimer to Obviate a Double Patenting Rejection Over a "Prior" Patent

FEE CALCULATION

CLAIM AMENDMENT(S)	Claims Remaining After Amendment	Highest Number Previously Paid For	Add'l Claims	Rate	Fee
Total Claims	17 -	20 =		x 50	\$00.00
Independent Claims	1 -	3 =		x 200	\$00.00
Multiple Dependent Claims				+ 360	\$
TOTAL					\$00.00

- ☒ Applicant hereby petitions for 2 (two) months extension of time in the above application. If an additional extension of time is required, please consider this a petition therefore.
- ☒ Charge Deposit Account No. 13-2546 the sum of \$580.00 (Disclaimer Fee \$130.00 and two-month Extension of Time \$450.00).
- ☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Response with Terminal Disclaimer Transmittal and Petition for Extension of Time with regard to this filing. A duplicate of this transmittal is enclosed.
- ☐ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

Aug. 7, 2006

David P. Ruschke
 David P. Ruschke
 Registration Number: 40,151
 Telephone: (763) 505-2913
 Facsimile: (763) 505-2530
 Customer Number: 27581

**Medtronic****RECEIVED
CENTRAL FAX CENTER****AUG 07 2006**

Facsimile Cover Sheet

MEDTRONIC LAW DEPARTMENT – CONFIDENTIAL**P-8794.05.00**

To: Mail Stop Amendment
Company: U.S. Patent and Trademark Office
Phone:
Fax: 571-273-8300

From: David P. Ruschke
Phone: 763-505-2913
Fax: 763-505-2530

Date: August 7, 2006

**Pages including
this cover page:** 8

RE: Medtronic Docket: P8794.05
Serial No. 10/627,114
Applicants: Zilla, et al.
Filed: July 25, 2003
Title: Transmural Concentric Multilayer Ingrowth Matrix Within Well-Defined Porosity
Examiner: Amareld, Jr., Robert W.
Group Art Unit: 3738

Attached are the following documents:

- ☒ Response with Terminal Disclaimer and Petition for Extension of Time Transmittal
- ☒ Response
- ☒ Terminal Disclaimer to Obviate a Double Patenting Rejection Over a "Prior" Patent

NOTICE

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ON THIS TRANSMITTAL FORM. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY Juanita Trauffer at (763) 505-2523. THANK YOU.

BEST AVAILABLE COPY